


Features & Benefits

- Attractive Appearance
- Lower Installation Cost
- Lower Carbon Footprint
- No Power Outages
- Easy to Convert to Solar
- 450Lm-500Lm
- Chameleon CCT™ 3000K & 4000K
- Turtle-Friendly Amber Available
- One Touch Selector Button
- Battery ON/OFF Function Button
- Battery Level LED Display
- Coretemp™ Battery Anti Freeze Technology



Exclusive Free Battery
Recycling Program



10 Year Available
15 Year Available

Certifications




Specifications	
Wattage	2.5 Watts LED
Battery	7.4V 10 AH
Solar Panel	Impact Resistant Monocrystalline 8W
Working Temperature	-40 °F - +140 °F
Material	Aluminum
CCT	Standard - 3000K & 4000K/ Others Available
Lifetime	50,000 Hours
Autonomy	2-3 Rainy Days
Height	24"/36"/42" Other Heights Available
Lumens	450Lm-500Lm
Option	PTC Auto heat system ideal for use in cold & snowy climates
Temperature with PTC Warmer	Charge Temperature -40°F to +140°F Discharge Temperature -40°F to +140°F
Temperature Without PTC Warmer	Charge Temperature 14°F to +140°F Discharge Temperature -4°F to +140°F


Stainless Steel
In-Ground
Anchor with
Hinged Lockable
Cover Available



Monocrystalline
Solar Module



10AH
Batteries



Cree Cob
LED Chip



IP65



AMERICAN COMBAT VETERAN OWNED COMPANY



405-673-8684



www.gridshiftsolar.lighting

Corporate: 2803 Broadway Ct. Edmond, OK 73013
California: 1341 Distribution Way, Suite 20, Vista, CA 92081

Cuesta Sol is a trademark of GridShift Solutions, LLP



Photometrics




AMERICAN COMBAT VETERAN OWNED COMPANY




405-673-8684
www.gridshiftsolar.lighting




Lighting Profiles



Profile 1
 (Turn on/One Flash)
 6H 100% Brightness, then 25% to dawn.



Profile 2
 (One Push/Two Flashes)
 4H 100% Brightness, then 25% to dawn.



Profile 3
 (One Push/Three Flashes)
 1H 100% Brightness, 2H at 50%, then 25% to dawn.

Model #	Available Optic Types	Fixture Profile Codes	Height	Option	Option
Cuesta Sol CS-BOL-PHA-8R	II / IV / V (Type III available, please consult Sales Associate.)	(See Profile Codes)	24" / 36" / 42" / Custom	PTC Auto Heat System	Stainless steel in-ground anchor with hinged lockable cover

Ordering Description Example					
Cuesta Sol CS-BOL-PHA-8R	II	Profile 2	36"	PTC	GA

Ordering Description					
Cuesta Sol CS-BOL-PHA-8R					



AMERICAN COMBAT VETERAN OWNED COMPANY



405-673-8684
www.gridshiftsolar.lighting

Corporate: 2803 Broadway Ct. Edmond, OK 73013
 California: 1341 Distribution Way, Suite 20, Vista, CA 92081

Cuesta Sol is a trademark of GridShift Solutions, LLP

